ાતુર **(કોર્યા**) Web

Results 1 - 10 of about 1,740,000 for descriptor tree. (0.21 seconds)

1. Re: New name for the Deployment Descriptor tree fo: msq#00048

It is about the "Deployment **Descriptor**: <projectName>" **tree** that appears as first child node under each J2EE project **tree** in the Project Exlporer view. ... osdir.com/ml/ide.eclipse.wtp.devel/2006-12/msg00048.html - 24k - Gached - Similar pages

2. Servlet 2.3 Deployment Descriptor

JavaRanch Home · Big Moose Saloon · JavaRanch FAQ · Search · Home · Bunkhouse · Cattle Drive · Radio · Rules Roundup · Journal · Tack Room · Tool Shed ... www.javaranch.com/carl/scwcd/servlet2.3dd.jsp - 11k - <u>Cached · Similar pages</u>

3. The Descriptor Tree (Writing Device Drivers) - Sun Microsystems

Call the usb_get_dev_data(9F) function to retrieve the hierarchical **descriptor tree**. The "SEE ALSO" section of the usb_get_dev_data(9F) man page lists the ... docs.sun.com/app/docs/doc/816-4854/usb-10?a=view - 14k - <u>Cached - Similar pages</u>

4. RE: [wtp-dev] Deployment Descriptor tree help needed

I'm improving the Deployment **Descriptor** subtree in project **tree** of Web 2.4 projects. But I have problem with understanding the structure and how it works. ... dev.eclipse.org/mhonarc/lists/wtp-dev/msg05742.html - 7k - <u>Cached</u> - <u>Similar pages</u>

5. Initial CATTS Cost Effectiveness Tree.

Abstract : This memorandum documents the development of a cost/effectiveness (C/E) descriptor tree which was developed in support of Operational Tests 1 ... stinet.dtic.mil/oai/oai?verb=getRecord&metadataPrefix=html&identifier=ADA075708 - 4k - Cached - Similar pages
by GL Neal - 1974 - All 2 versions

6. Method for creating a directory tree in main memory using an index ...

The method of claim 1, wherein said **descriptors** in said **descriptor tree** belong

Next, the process of creating and updating the **descriptor tree** 18 and ...

www.freepatentsonline.com/5276874.html - <u>Similar pages</u>

by JC Loomis - 1994 - Cited by 9 - Related articles

7. [PDF] The VAD tree: A process-eye view of physical memory

File Format: PDF/Adobe Acrobat - View as HTML

The VAD **tree**. The Virtual Address **Descriptor tree** is used by the Windows. memory manager to describe memory ranges used by ...

www.dfrws.org/2007/proceedings/p62-dolan-gavitt.pdf - Similar pages

by B Dolan-Gavitt - Related articles - All 4 versions

8. Heterogeneous data translation system - US Patent 5339434

The initializing step includes retrieving the stored message description file, and generating a field **descriptor tree** from the message description file. ... www.patentstorm.us/patents/5339434-description.html - <u>Similar pages</u>

9. Digital Investigation: The VAD tree: A process-eye view of ...

The Virtual Address **Descriptor tree** is used by the Windows memory manager to describe memory ranges used by a process as they are allocated. ... linkinghub.elsevier.com/retrieve/pii/S1742287607000503 - Similar pages by B Dolan-Gavitt - 2007 - Related articles - All 4 versions

10. OpenEJB - Configuration and Assembly

read in **descriptors**; process annotations filling in the **descriptor tree**; validating app compliance; resolving resource references; resolving ejb references ... openejb.apache.org/configuration-and-assembly.html - 24k - <u>Cached</u> - <u>Similar pages</u>



descriptor tree Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve | Try Google Experimental

Google Home - Advertising Programs - Business Solutions - Privacy - About Google